

# Client Consent Form

## Epionce Peel System (sal-e and mal-e)

### The following points have been discussed with me:

Initial

- \_\_\_\_\_ For optimal results patient should be using an Epionce Skin Care program suitable for skin type at least 2-4 weeks prior to this procedure.
- \_\_\_\_\_ A series of 2-6 peel procedures may be necessary to see maximum desired results.
- \_\_\_\_\_ I have not used Accutane or its equivalent within the past six months.
- \_\_\_\_\_ I have not used Retin-A or prescription tretinoin within the past two weeks.
- \_\_\_\_\_ I have disclosed all other topical prescriptions I am using to my skin care professional.
- \_\_\_\_\_ I am not allergic to aspirin, salicylic acid, onion extract or apple extract.
- \_\_\_\_\_ I am not pregnant or lactating.
- \_\_\_\_\_ I have disclosed my history of herpes simplex to my skin care professional, and agree to take the recommended oral prescription as directed.
- \_\_\_\_\_ I have not waxed or had laser hair removal in the area to be treated within the past 48 hours. Laser hair removal treatments or similar treatments should not be performed until at least 48 hours after the procedure.
- \_\_\_\_\_ I understand the contraindications and risks associated with this procedure.
- \_\_\_\_\_ I will do my best to avoid prolonged sun exposure, excessive heat, hot rooms and hot water temperature while my skin is healing, as advised by my skin care professional.
- \_\_\_\_\_ I agree to follow post-procedure skin care and instructions as directed.

### Post-Procedure Expectations and Care

- 1) It is important to follow all post-care instructions carefully, including using recommended Epionce products for home care.
- 2) Mineral makeup may be worn immediately following the procedure if desired.
- 3) You may begin reusing Epionce MelanoLyte Tx or Lytic product 24 hours after procedure if no signs of irritation are present. It is recommended not to use Retin-A or prescription tretinoin for at least 48 hours after procedure, unless directed by physician or skin care professional.
- 4) It is normal to experience mild stinging and tightness, but it should subside within 24-48 hours following the procedure. Prior to skin sloughing, skin may darken temporarily due to abnormal desquamation, generally 1-3 days post-peel. Skin will begin peeling process approximately 2-4 days post-procedure. It is common to experience some temporary skin discoloration, dryness and flaking, usually around the nose and lips. Medical Barrier Cream will help relieve those symptoms. You must let the treated skin exfoliate naturally. Do NOT pick at or peel the affected area, due to risk of scarring or infection.

### Call physician or skin care professional immediately if you experience:

- Intense burning, redness and tenderness last longer than 48 hours.
- Blistering, oozing, or deep scabbing.
- A contact reaction, such as dermatitis (red, itchy rash) or hives.
- Headache, inflammation, nausea or dizziness.
- Edema (swelling) and/or crusting of treated area.

### Acknowledgment

By signing below, I certify that I have read and fully understand the contents of this consent (permission) form for the Epionce Peel System and that the disclosures referred herein were made to me.

\_\_\_\_\_  
Signature (Client or Guardian)

\_\_\_\_\_  
Print Name & Relationship

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature (Physician/Professional)

\_\_\_\_\_  
Print Name

\_\_\_\_\_  
Date

Keep a copy for client chart and give copy to client for their record.

*epionce*  
We Deliver the Beauty of Healthy Skin™

EPICCF - Rev. 10/11